



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8110-2323:0501
<b>CATEGORY:</b>	8110 - DECKING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Resysta North America, Inc. 4035 Cheyenne Ct, Chino, CA, 91710 Contact: Sloup, Michael Email: michael.sloup@resysta.com
<b>DESIGN:</b>	Resysta® Platinum Fiber Reinforced Hybrid Decking, material 1" thick by 5-1/2" wide. The Resysta® Plastic Deck Fastener is utilized to secure deck boards to nominal 2" x 6" Douglas-fir joists, 16" O.C. The starting deck board was face fastened through the groove of the deck board at a 45° angle to each joist with a #7 x 1-5/8" stainless steel screw. The ending deck board was secured through the groove at a 45° angle to each joist using one #7 x 1-5/8" stainless steel screw. All other deck boards were secured to the framing with one Resysta® Plastic Deck Fastener per framing member using a #7 x 1-5/8" stainless steel screw.  Refer to manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	SFM 12-7A-4A
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee's name, model number, rating, and SFM label.
<b>APPROVAL:</b>	Listed as decking material for use in the Wildland Urban Interface areas when attached exterior wall covering is composed of noncombustible or ignition-resistant material. Refer to listee's Installation Instruction Manual for details.
<b>NOTES:</b>	Test Protocol SFM 12-7A-4A

08-13-20 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 03/08/2022**

**Listing Expires: 06/30/2023**



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Victor Wong**, Program Coordinator  
Fire Engineering & Investigations Division